

Buyer's Guide December 2014 (Revised 12.1.14)

This chart is for chefs and other seafood professionals who need a reference tool with all of the Seafood Watch recommendations in one place. This guide is updated monthly so print the latest version at SeafoodWatch.org
And stay current with our monthly updates by subscribing at Business@mbayaq.org
Together we can save the oceans...one meal at a time.

BEST CHOICES

Abalone (Worldwide Contained Production Systems)	Mackerel, Atlantic (Purse Seine-caught from Canada & U.S.)
Arctic Char (Farmed in Recirculating Systems in Canada, Iceland, Norway, & U.S.)	Mackerel, King & Spanish (Wild-caught from U.S. Atlantic & U.S. Gulf of Mexico)
Barramundi (Farmed in Recirculating Systems in U.S. and Open Net Pens in Vietnam)	Mahi Mahi (Troll/Pole from U.S. Atlantic)
Bass, Hybrid Striped and Largemouth (U.S. Farmed)	Mullet, Striped (Wild-caught from U.S. Atlantic & U.S. Gulf of Mexico)
Bass, Striped (Handline-caught from U.S. Atlantic)	Mussels (Worldwide Farmed)
Bluefish (Handline-caught from the U.S.)	Oysters (Worldwide Farmed & Wild-caught from the U.S. Gulf of Mexico)
Branzino (Farmed in Tank Systems in Nova Scotia)	Perch, Yellow (Wild-caught from Lake Erie)
Capelin (Wild-caught from Iceland)	Perch, Yellow (U.S. Farmed in Tank Systems)
Catfish (U.S. Farmed)	Pollock, Atlantic (Gillnet & Purse Seine-caught from Norway)
Caviar, White Sturgeon (Farmed in Tank Systems in Alberta)	Pompano (U.S. Farmed and U.S. Wild-caught)
Chilean Seabass (Longline-caught in Heard & McDonald Islands, Falkland Islands & Macquarie Island)	Prawn, Freshwater (U.S. Farmed)
Clams (Worldwide Farmed)	Prawn, Spot (Wild-caught from Alaska and British Columbia)
Clams, Hard (Rake & Shovel-caught in Massachusetts, North Carolina, Rhode Island & Virginia)	Rockfish, Aurora, Splitnose, Thornyhead, Widow and Yellowtail (Wild-caught from California, Oregon & Washington)
Clams, Pacific Razor (Hand Harvested in Oregon, Washington & the Quinalt Nation)	Rockfish, Chilipepper (Wild-caught by the California Groundfish Collective in California)
Clams, Softshell/Steamers (Rake & Shovel-caught in Maine & Massachusetts)	Sablefish/Black Cod (Pot-caught from California, Oregon, Washington)
Cobia (U.S. Farmed, Handline-caught from the U.S. Atlantic & U.S. Gulf of Mexico and Bottom Gillnet-caught from the U.S. Atlantic)	Sablefish/Black Cod (Wild-caught from Alaska & Canadian Pacific)
Cod, Atlantic (Handline-caught from Iceland & from the Northeast Arctic by Norway & Russia)	Sablefish/Black Cod (Wild-caught by the California Groundfish Collective in California)
Cod, Pacific (Bottom Longline, Jig & Trap-caught in Alaska)	Salmon (Drift Gillnet, Purse Seine & Troll-caught from Alaska)
Crab, Blue (Trotline-caught in the Chesapeake Bay)	Salmon (Reefnet-caught from the Fraser River)
Crab, Kona (Wild-caught from Australia)	Salmon Roe (Drift Gillnet, Purse Seine & Troll-caught from Alaska)
Crab, Snow (Trap & Pot-caught by the U.S. from Eastern Bering Sea and Canada from Southern Gulf of St. Lawrence)	Salmon, Atlantic (Worldwide Farmed in Recirculating Systems)
Crab, Stone (Trap-caught from U.S. Atlantic & U.S. Gulf of Mexico)	Salmon, Coho (Farmed in Tank Systems from the U.S.)
Crawfish/Crayfish (U.S. Farmed)	Sanddabs, Pacific (Wild-caught from California & Oregon)
Croaker, Atlantic (Seine-caught from the U.S.)	Sardines, Pacific (Purse Seine-caught from U.S. & Canada)
Dogfish, Spiny (Bottom Trawl-caught from California, Oregon & Washington)	Scad, Big-eye (Wild-caught from Hawaii)
Drum, Red (Farmed in Ponds in U.S.)	Scad, Mackerel (Wild-caught from Hawaii)
Geoduck (On-Bottom Farmed from Washington & British Columbia)	Scallops (Worldwide Farmed)
Geoduck (Wild-caught from U.S. & British Columbia)	Scallops, Pink (Butterfly Trawl-caught from British Columbia)
Gilthead Sea Bream (Farmed in Tank Systems in Nova Scotia)	Scallops, Sea (Diver-caught from Laguna Ojo de Liebre & Guerrero Negro, Baja California Sur, Mexico)
Halibut, California (Handline-caught from U.S. Pacific)	Scallops, Spiny (Butterfly Trawl-caught from British Columbia)
Halibut, Pacific (U.S. Wild-caught)	Scallops, Weathervane (Dredged from Alaska)
Herring, Pacific (California Wild-caught)	Sea Urchin Roe (Wild-caught from Canada)
Lingcod (Trawl-caught from California, Oregon & Washington)	Seabass, Black (Trap-caught from U.S. Atlantic)
Lobster, California Spiny (Trap-caught from Mexico)	Seabass, White (Handline-caught from California)
Lobster, Caribbean Spiny (Diver-caught from Mexico)	Seatrout, Spotted (Wild-caught from Florida & Louisiana)
	Seaweed (Worldwide Farmed)
	Shrimp (Farmed in Fully Recirculating Systems & Inland Ponds in the U.S.)
	Shrimp, Coonstripe, Northern & Sidestripe (Wild-caught from Alaska)
	Shrimp, Black Tiger (Farmed in Selva Shrimp® Verified Farms in Southeast Asia)

(Continued on page 2)

Buyer's Guide December 2014 (Revised 12.1.14)

This chart is for chefs and other seafood professionals who need a reference tool with all of the Seafood Watch recommendations in one place. This guide is updated monthly so print the latest version at SeafoodWatch.org
And stay current with our monthly updates by subscribing at Business@mbayaq.org
Together we can save the oceans...one meal at a time.

BEST CHOICES

Skate, Longnose (Wild-caught from California, Oregon and Washington)
Sole (Wild-caught from California, Oregon and Washington)
Sturgeon (Farmed in Recirculating Systems in the U.S.)
Sturgeon, White (Farmed in Tank Systems in British Columbia)
Swordfish (Harpoon & Handline-caught from Canada,
the U.S., North Atlantic & East Pacific)
Tilapia (Farmed in Closed Recirculating Systems in the U.S.)
Tilapia (Farmed in Ponds in Ecuador & Tank Systems in Alberta)
Trout, Rainbow/Steelhead (U.S. Farmed)
Tuna, Albacore (Troll/Pole from Canadian & U.S. Pacific)
Tuna, Bigeye (Troll/Pole from the U.S. Atlantic)
Tuna, Skipjack (Worldwide Troll/Pole)
Tuna, Yellowfin (Troll/Pole from the Pacific & U.S. Atlantic)
Whitefish, Lake (Wild-caught from Lake Huron & Lake Superior)
Whitefish, Lake (Trap-net from Lake Michigan)
Wreckfish (Wild-caught from U.S. Atlantic)
Yellowtail, California (Handline-caught from Isla Natividad,
Mexico and the U.S.)

Sorry about this blank space
Working together and letting seafood producers know we want
them to operate as "Best Choices" creates change
Fish by fish, we can fill this page

Buyer's Guide December 2014 (Revised 12.1.14)

This guide is updated monthly. Go to SeafoodWatch.org to print out the latest version.

GOOD ALTERNATIVES

- Alfonsino (Midwater Trawl-caught from New Zealand)
- Amberjack (Farmed in Submersible Pens in Hawaii)
- Amberjack, Greater (Handline-caught from U.S. South Atlantic)
- Anchovy (MSC Certified)
- Anchovy, European (Wild-caught from the Adriatic Sea)
- Angler/Monkfish/Monkfish Liver (MSC Certified)
- Barramundi (Farmed in Fully Recirculating Systems in Australia)
- Basa (Imported Farmed)
- Bass (MSC Certified)
- Bass, Striped (Gillnet & Pound Net-caught from U.S. Atlantic)
- Black Drum (Trotline-caught from U.S. Gulf of Mexico)
- Bluefish (Bottom Trawl & Bottom Gillnet-caught from U.S.)
- Bluenose (Wild-caught from Southern Pacific)
- Cabezon (Wild-caught from California, Oregon & Washington)
- Capelin (Wild-caught from Canada)
- Carp (Naturland Certified Farmed)
- Caviar, Sturgeon (U.S. Farmed)
- Chilean Seabass (MSC Certified & Longline-caught from South Georgia, Kerguelen Islands & the Ross Sea)
- Clams (ASC, Canadian Organic & MSC Certified)
- Clams, Atlantic Surf (Dredge-caught from U.S. Atlantic)
- Clams, Ocean Quahog (Dredge-caught from U.S. Atlantic)
- Cobia (Bottom Longline-caught from the U.S. Atlantic)
- Cod, Atlantic (MSC Certified and Bottom Gillnet, Bottom Longline, Bottom Trawl & Danish Seine from Iceland & Northeast Arctic)
- Cod, Atlantic (Handline-caught from U.S. Georges Bank)
- Cod, Pacific (Trawl-caught from the U.S. and Canadian Pacific)
- Crab (MSC Certified)
- Crab, Blue (Pot-caught from U.S.)
- Crab, Dungeness (Wild-caught from Canada and the U.S.)
- Crab, Imitation (Alaska Pollock) (Wild-caught from Alaska)
- Crab, Imitation (not Alaska Pollock) (Worldwide Wild-caught)
- Crab, King (Trap-caught from U.S.)
- Crab, King Southern (Trap-caught from Argentina)
- Crab, Kona (Wild-caught from Hawaii)
- Crab, Pacific Rock (Wild-caught from California and Oregon)
- Crab, Snow (Pot & Trap-caught from Eastern Nova Scotia, Newfoundland & Labrador)
- Crawfish/Crayfish (Trap-caught from Louisiana)
- Croaker, Atlantic (Gillnet, Pound Net and Trawl-caught from U.S.)
- Dogfish, Spiny (MSC Certified and Bottom Longline-caught from British Columbia)
- Flounder (MSC Certified and Wild-caught from Canadian and U.S. Pacific)
- Flounder, Summer (Bottom Trawl-caught from U.S. Atlantic)
- Flounder, Windowpane (Bottom Trawl-caught from U.S. Southern New England & Mid-Atlantic)
- Flounder, Winter (Wild-caught from U.S. Atlantic except the mid Atlantic)
- Flounder, Yellowtail (Bottom Trawl-caught from U.S. Southern New England & U.S. Mid-Atlantic)
- Geoduck (Canadian Organic Certified)
- Grenadier (Wild-caught from California, Oregon & Washington)
- Grouper, Black & Red (Wild-caught from U.S.)
- Grouper, Gag (Handline-caught from U.S. Gulf of Mexico)
- Grouper, Hawaiian (Handline-caught from Hawaii)
- Haddock (Wild-caught from U.S. Georges Bank and Iceland Atlantic)
- Haddock (Bottom Trawl-caught from Canadian Atlantic)
- Haddock (MSC Certified)
- Hake (MSC Certified)
- Hake, Offshore, Red & Silver (Wild-caught from U.S. Atlantic)
- Hake, White (Wild-caught from U.S. Atlantic)
- Halibut (MSC Certified)
- Halibut, Atlantic (Farmed in Tank Systems in Nova Scotia)
- Halibut, California (Bottom Trawl & Set Gillnet-caught from U.S. Pacific)
- Herring (MSC Certified)
- Herring, Atlantic (Wild-caught from U.S. Atlantic)
- Herring, Lake (Wild-caught from Lake Superior)
- Hoki (MSC Certified)
- Icefish (MSC Certified)
- Jobfish, Rusty (Handline-caught from Hawaii)
- Kelp Greenling (Wild-caught from California, Oregon & Washington)
- Krill (MSC Certified)
- Lobster (MSC Certified)
- Lingcod (Handline- and Longline-caught from California, Oregon & Washington and All Wild-caught from Alaska and Canada)
- Lobster, American (Trap & Pot-caught from Gulf of Maine & Georges Bank)
- Lobster, California Spiny (Trap-caught from California)
- Lobster, Caribbean Spiny (Diver & Trap-caught from Bahamas)
- Lobster, Caribbean Spiny (Trap-caught from Florida)
- Lobster, Norway (Pot- or Trap-caught from Europe)
- Lobster, Norway (Trawl-caught from Bay of Biscay, France and Kattegat Bay and Skagerrak Bay)
- Mackerel, Atlantic (Midwater & Bottom Trawl-caught from the U.S.)
- Mahi Mahi (Longline-caught from the U.S.)
- Mahi Mahi (Troll/Pole from Hawaii)
- Mahi Mahi (Longline-caught from Ecuador)
- Marlin, Blue (Wild-caught from Hawaii)
- Milkfish (Naturland Certified)
- Mullet (MSC Certified)
- Mulloway (MSC Certified)
- Mussels (ASC, MSC, Canadian Organic, Friends of the Sea & Naturland Certified)
- New Zealand Tai Snapper (Bottom Longline-caught from New Zealand)
- Octopus (Wild-caught from Gulf of California & Spain)
- Octopus, Night and Day (Handline- & Spear-caught in Hawaii)
- Opah (Longline-caught from Hawaii)
- Oysters (ASC, MSC, Canadian Organic & Naturland Certified)
- Pangasius (ASC Certified & Imported farmed)
- Perch, Yellow (MSC Certified)
- Perch, Yellow (Wild-caught from Lake Huron & Lake Ontario)

Buyer's Guide December 2014 (Revised 12.1.14)

Stay current with our monthly updates by subscribing at Business@mbayaq.org.

GOOD ALTERNATIVES

- Plaice (MSC Certified)
 Plaice, Alaska (Wild-caught from Canada & U.S. Pacific)
 Plaice, American (Bottom Trawl-caught from the U.S. Atlantic)
 Plaice, European (Danish Seine & Bottom Trawl-caught from Iceland)
 Pollock (MSC Certified)
 Pollock, Alaska (Wild-caught from Alaska)
 Pollock, Atlantic (Danish Seine & Trawl-caught from Norway)
 Pollock, Atlantic (Set Gillnet-caught from Iceland)
 Pollock, Atlantic (Wild-caught from Canada)
 Pollock, Atlantic (Wild-caught from U.S. Atlantic)
 Pomfret (Longline-caught from Hawaii)
 Prawn, Spot (Wild-caught from California and Washington)
 Red Porgy (Wild-caught from U.S.)
 Rockfish (Handline-caught from Alaska and Canadian Pacific)
 Rockfish (MSC Certified)
 Rockfish, Black, Blackgill, Chilipepper, Ocean Perch and Rougheye (Wild-caught from California, Oregon & Washington)
 Sablefish (MSC Certified)
 Sablefish/Black Cod (Longline- or Trawl-caught from California, Oregon & Washington)
 Salmon (Drift Gillnet, Purse Seine & Troll-caught from California, Oregon & Washington)
 Salmon (MSC Certified)
 Salmon (Reefnet-caught from the Fraser River)
 Salmon, Atlantic (Farmed Verlasso® Brand from Chile)
 Salmon, Coho (Wild-caught from British Columbia)
 Sardines (MSC Certified)
 Scallops (ASC & MSC Certified)
 Scallops, Bay (Diver-caught from Magdalena Bay, Baja California Sur, Mexico)
 Scallops, Sea (Diver-caught from Sechura Bay, Peru)
 Scallops, Sea (Wild-caught from Canadian Atlantic)
 Scallops, Sea (Dredged-caught from the U.S. Atlantic)
 Scup (Wild-caught from U.S. Atlantic)
 Sea Urchin Roe (Wild-caught from California)
 Seatrout, Spotted (Wild-caught from Mississippi, North Carolina & Virginia)
 Shark, Common Thresher (California & Hawaii)
 Shark, Shortfin Mako (California & Hawaii)
 Shrimp (Farmed in Fully Recirculating Systems from Thailand)
 Shrimp (MSC Certified)
 Shrimp (Farmed in Open Systems in Ecuador and the U.S.)
 Shrimp (Wild-caught in U.S. Gulf of Mexico, Except Louisiana, & Otter Trawl-caught from U.S. South Atlantic)
 Shrimp (ASC & Naturland Certified)
 Shrimp, Pink (MSC Certified and Wild-caught from British Columbia, California and Washington)
 Skates (MSC Certified)
 Skates (Wild-caught from California, Oregon and Washington)
 Smelt (MSC Certified)
 Smelt, Rainbow (Wild-caught from Lake Superior, Lake Michigan & Lake Erie)
- Snapper, Gray (Troll/Pole and Handline-caught from Hawaii)
 Snapper, KaleKale (Handline-caught from Hawaii)
 Snapper, Oblique-banded (Handline-caught from Hawaii)
 Snapper, Pink (Handline-caught from Hawaii)
 Snapper, Red (Wild-caught from U.S. Gulf of Mexico)
 Snapper, Red/Squirrelfish (Handline-caught from Hawaii)
 Snapper, Ruby/Longtail (Handline-caught from Hawaii)
 Snapper, Silk (Wild-caught from U.S. Caribbean, U.S. Gulf of Mexico & U.S. South Atlantic)
 Snapper, Vermilion & Yellowtail (Wild-caught from U.S. Gulf of Mexico & U.S. South Atlantic)
 Sole (Wild-caught from Canadian and U.S. Pacific)
 Sole (MSC Certified)
 Spearfish, Shortbill (Hawaii)
 Squid, Argentine Shortfin (South America Atlantic)
 Squid, Jumbo (Gulf of California and Jig-caught from Mexico)
 Squid, Longfin (Trawl-caught from U.S. Atlantic)
 Squid, Market (Purse Seine-caught from California)
 Squid, Shortfin (Trawl-caught from U.S. Atlantic)
 Sturgeon, White (Drift gillnet-caught from Oregon & Washington)
 Swai (Imported Farmed)
 Swordfish (Drift Gillnet-caught from California)
 Swordfish (Longline-caught from U.S.)
 Swordfish (MSC Certified)
 Tilapia (Farmed in Ponds in Taiwan & China & Naturland Certified)
 Tilefish, Golden (Wild-caught from U.S. Mid-Atlantic)
 Trevally/Jack (Wild-caught from Hawaii)
 Trout, Lake (Wild-caught from Lake Huron & Lake Superior)
 Tuna, Albacore (MSC Certified)
 Tuna, Albacore (Longline-caught from Hawaii)
 Tuna, Albacore (Troll/Pole from South Atlantic)
 Tuna, Bigeye (Longline-caught from U.S. Atlantic)
 Tuna, Bigeye (Worldwide Troll/Pole)
 Tuna, Blackfin (Troll/Pole from the Atlantic)
 Tuna, Skipjack (Longline-caught from Hawaii & U.S. Atlantic)
 Tuna, Skipjack (MSC Certified)
 Tuna, Tongol (Wild-caught from Malaysia)
 Tuna, Tongol (Worldwide Troll/Pole)
 Tuna, Yellowfin (Longline-caught from Hawaii & U.S. Atlantic)
 Tuna, Yellowfin (Worldwide Troll/Pole, Except Troll/Pole from Pacific & U.S. Atlantic)
 Tuna, Yellowfin (MSC Certified)
 Turbot, Greenland (Wild-caught from U.S. & British Columbia)
 Wahoo (Troll/Pole from Hawaii & U.S. Atlantic)
 Walleye (Wild-caught from Lake Erie)
 White Seabass (Gillnet-caught from California)
 Whitefish, Lake (Wild-caught from Lake Erie)
 Whitefish, Lake (Set Gillnet-caught from Lake Michigan)
 Whitefish, Round (Wild-caught from Lake Huron, Lake Michigan)
 Yellowtail, California (Gillnet-caught from U.S.)

Buyer's Guide December 2014 (Revised 12.1.14)

Together we can save the oceans...one meal at a time.

AVOID

- Abalone (Sea Ranches from China & Japan)
- Alfonsino (Midwater Trawl & Bottom Trawl-caught from area BXY3, New Zealand)
- Amberjack (Farmed from Australia and Japan)
- Anchovy, European and Pacific (Wild-caught from the Black Sea and the Mediterranean Sea)
- Barramundi (Wild-caught from Indonesia)
- Barramundi (Imported Farmed in Open Systems except Vietnam)
- Caribbean Spiny Lobster (Diver & Trap-caught from Belize, Brazil, Honduras & Nicaragua)
- Caviar, Paddlefish (Drift gillnet-caught from the Mississippi River)
- Caviar, Shovelnose Sturgeon (Wild-caught from Mississippi River)
- Chilean Seabass (Longline-caught from Chile, Crozet Islands, Prince Edward & Marion Islands)
- Cobia (Imported Farmed)
- Cod, Atlantic (Trawl-caught from Canadian Atlantic)
- Cod, Atlantic (Gillnet, Longline & Trawl-caught from U.S. Georges Bank)
- Cod, Atlantic (Wild-caught from U.S. Gulf of Maine)
- Cod, Pacific (Wild-caught from Russian Federation & Japanese Pacific)
- Conch, Queen (Worldwide Wild-caught)
- Corvina, Gulf (Wild-caught from Gulf of California)
- Crab, Atlantic Rock (Wild-caught from U.S. Atlantic)
- Crab, Jonah (Wild-caught from U.S. Atlantic)
- Crab, King Red (Trap-caught from Russia)
- Crab, Swimmer, Blue & Red (Pot, Bottom Gillnet & Bottom Trawl-caught from China, India, Indonesia, Thailand, Vietnam & Philippines)
- Crawfish/Crayfish (China Farmed)
- Dab, Common (Danish Seine from Iceland)
- Dogfish, Spiny (Wild-caught from Canadian Atlantic)
- Eel, Freshwater (Worldwide Farmed)
- Flounder, Windowpane (Pot, Bottom Gillnet & Bottom Trawl-caught from U.S. Georges Bank & U.S. Gulf of Maine)
- Flounder, Winter (Wild-caught from U.S. Mid-Atlantic)
- Flounder, Witch (Bottom Trawl-caught U.S. Atlantic)
- Flounder, Yellowtail (Bottom Trawl & Bottom Gillnet-caught from U.S. Georges Bank & U.S. Gulf of Maine)
- Grouper, Gag (Handline-caught from U.S. South Atlantic and Longline-caught from U.S. Gulf of Mexico)
- Grouper, Snowy, Warsaw, Yellowedge (Wild-caught from U.S.)
- Haddock (Wild-caught from U.S. Gulf of Maine)
- Hake (Wild-caught from Canadian Atlantic)
- Halibut, Atlantic (Bottom Trawl-caught from U.S.)
- Lobster, American (Trap & Pot-caught from U.S. Southern New England)
- Lobster, Norway (Trawl-caught except from Bay of Biscay, France and Kattegat Bay and Skagerrak Bay)
- Mahi Mahi (Longline-caught from Costa Rica, Guatemala & Peru)
- Marlin, Blue (Imported Longline)
- Marlin, Striped (Worldwide Wild-caught)
- New Zealand Tai Snapper (Danish Seine & Trawl-caught from New Zealand)
- Octopus (Wild-caught from Mauritania, Morocco, Philippines & Vietnam)
- Opah (Imported Longline)
- Orange Roughy (Worldwide Wild-caught)
- Paddlefish (Drift gillnet-caught from the Mississippi River)
- Pollock, Atlantic (Danish Seine & Trawl-caught from Iceland)
- Pompano (Farmed in China & Dominican Republic)
- Rockfish (Trawl-caught from Alaska and Canadian Pacific)
- Salmon, Atlantic (Farmed in Net Pens from British Columbia, Chile, Norway and Scotland)
- Salmon, Coho (Farmed in Net Pens from Chile)
- Sardines, Atlantic (Wild-caught from the Mediterranean Sea and Black Sea)
- Sea Turtles (Wild-caught from Gulf of California)
- Sea Urchin Roe (Wild-caught from Maine)
- Seabass, Black (Otter-trawl-caught from U.S. Mid-Atlantic)
- Shad, American (Gillnet-caught from U.S. Atlantic)
- Shark (Worldwide, Except Common Thresher & Shortfin Mako from California & Hawaii)
- Shrimp (Imported Farmed in Open Systems, except Ecuador and U.S.)
- Shrimp (Skimmer Trawl-caught from U.S. Gulf of Mexico)
- Shrimp (Wild-caught from Louisiana & Mexico)
- Skates (Wild-caught from U.S. Atlantic)
- Smelt, Eulachon (Net-caught from British Columbia)
- Snapper, Red (Wild-caught from U.S. South Atlantic)
- Spearfish, Shortbill (Imported Wild-caught)
- Squid, Indian (Trawl-caught from India & Thailand)
- Squid, Mitre (Trawl-caught from China & Thailand)
- Sturgeon (Imported Wild-caught)
- Sturgeon, Shovelnose (Drift gillnet-caught from Mississippi River)
- Swordfish (Imported Longline)
- Tilefish, Blueline and Golden (Wild-caught from U.S. Gulf of Mexico & U.S. South Atlantic)
- Totoaba (Wild-caught from Gulf of California)
- Trout, Lake (Wild-caught from Lake Michigan)
- Tuna (Canned) (Worldwide Wild-caught, Except Troll/Pole)
- Tuna, Albacore (Longline-caught Worldwide, Except Hawaii)
- Tuna, Albacore (Wild-caught from North Atlantic)
- Tuna, Bigeye (Worldwide, Except Longline-caught from U.S. Atlantic)
- Tuna, Blackfin (Longline & Purse Seine-caught from the Atlantic)
- Tuna, Bluefin (Worldwide Wild-caught)
- Tuna, Bluefin (Worldwide Ranches)
- Tuna, Skipjack (Imported Longline)
- Tuna, Skipjack (Worldwide Purse Seine)
- Tuna, Tongol (Gillnet & Purse Seine-caught Worldwide, Except Malaysia)
- Tuna, Yellowfin (Worldwide Purse Seine)
- Weakfish (Wild-caught from U.S. Atlantic)